

62 1/2" x 62 1/2"

Designed by Shelley Robson for the 2020 All Iowa Shop Hop

Read through all instructions before cutting or sewing.

WOF--Width of Fabric--selvage to selvage

HST--Half Square Triangle

All measurements based on 42" WOF.

All seams are sewn with Right Sides Together--RST--and an accurate 1/4" seam allowance unless noted otherwise.

Organization is key--use the method that works best for you!!

Fabric Requirements:

Cream Toile 52000-1	3/4 yard
Jet Black 35370S-2 (includes binding)	2 1/4 yards
Red 40171-62	1/3 yards
Camel-Cream 40171-54	1/4 yard
Yellow-Copper 40171-29	1/4 yard
Turquoise-Jade 40171-46	1/4 yard
Olive 40171-57	1/4 yard
Navy-Cyan 40171-58	1/4 yard
Blue-Aqua 40171-9	1/4 yard
Wine-Pink 40171-68	1/4 yard
Black Block Toss 52001-2	7/8 yard
Shirting 40215B-5	1/4 yard
Shirting 50332-1	1/4 yard
Shirting 50331-1	1/4 yard
Shirting 39717A-3	1/4 yard
Shirting 42595A-20	1/4 yard
Shirting 29269A-3	1/4 yard
Shirting 42491A-3	1/4 yard

Shirting 25029S	1/4 yard
Batting	72" x 90"
Backing	4 yards

Cutting Instructions:

From Cream Toile 52000-1

Cut one square 23" x 23"

From Jet Black 35370S-2

Cut [2] - 1 1/2" x 23"

Cut [2] - 1 1/2" x 25"

Cut [5] - 3" x WOF strips

Sub-cut [64] - 3" x 3" squares

Cut [9] - 3 3/8" x WOF strips

Sub-cut [96] - 3 3/8" x 3 3/8" squares, then cut once on diagonal to make 192 HST

Cut [7] - 2 1/2" x WOF strips for binding.

From Red 40171-62

Cut [2] - 1" x 25" strips

Cut [2] - 1" x 26" strips

Cut [1] - 3" x WOF strips

Sub-cut [10] 3" x 3" squares

Cut [1] - 3 3/8" x WOF strips

Sub-cut [8] - 3 3/8" x 3 3/8" squares, the cut once on diagonal to make 16 HST

From Black Block Toss 52001-2

Cut [2] - 6 1/2" x 26" strips

Cut [2] - 6 1/2" x 38" strips

From Camel-Cream 40171-54, Yellow-Copper 40171-29, Turquoise-Jade 40171-46, Olive 40171-57, Navy-Cyan 40171-58, Blue-Aqua 40171-9, and Wine-Pink 40171-68

From each color

Cut [1] - 3" x WOF strips

Sub-cut [10] - 3" x 3" squares.

Cut [1] - 3 3/8" x WOF strips

Sub-cut [8] - 3 3/8" x 3 3/8" squares, then cut once on diagonal to make 16 HST

From each of the Shirting fabrics - 40215B-5, 50332-1, 50331-1, 39717A-3, 42595A-20,

29269A-3, 42491A-3, and 25029S

Cut [1] - 3" x WOF strips

Sub-cut [8] - 3" x 3" squares

Cut [1] - 3 3/8" x WOF strips

Sub-cut [4] - 3 3/8" x 3 3/8" squares, then cut once on diagonal to make 8 HST

Block Assembly

Mix and match the shirting backgrounds with the colored fabrics and the black to make the blocks. Separate the pieces into 16 piles, one pile for each block. Each pile should have

- [4] 3" x 3" Jet Black 35370S-2 squares
- [12] 3 3/8" Jet Black 35370S-2 HST
- [5] 3" x 3" color squares with [8] matching 3 3/8" color HST
- [4] 3" x 3" Shirting background squares of the same pattern with [4] matching 3 3/8" shirting background HST. (Sorting these into individual small clear zip-lock bags will help keep them organized.)

Make one block at a time.


- 1. Piece [8] 3 3/8" Jet Black 35370S-2 HST to [8] 3 3/8" color HST and press the seams open.
- 2. Piece [4] 3 3/8" Jet Black 35370S-2 HST to [4] 3 3/8" shirting background HST and press the seams open, these should measure 3" square.



3. Piece [4] – 3" x 3" Jet Black 35370S-2 squares to [4] – 3" x 3" shirting background squares and press seams open.



4. Piece the corner sections as diagramed below and press the seams open.



5. Piece the block together as shown in Diagram A.





Diagram A

The block should measure 13" x 13" un-finished, it will be a 12 1/2" x 12 1/2" finished block in the quilt top.



6. Repeat steps 1-5 for each of the 16 blocks

Quilt Assembly

1. Piece the three border which are around the center 23" x 23" Cream Toile 52000-1 square

Sew [2] - 1 1/2" x 23" Jet Black 35370S-2 to the left and right sides of the center toile square. Press.

Sew $[2] - 1 \frac{1}{2}$ " x 25" Jet Black 35370S-2 to the top and bottom of the center toile square. Press.

Sew [2] - 1" x 25" Red 40171-62 to the left and right sides. Press.

Sew [2] – 1" x 26" Red 40171-62 to the top and bottom. Press.

Sew [2] – 6 1/2" x 26" Black Block Toss 52001-2 to the left and right sides. Press.

Sew $[2] - 6 \frac{1}{2}$ " x 38" Black Block Toss 52001-2 to the top and bottom. Press.

The resulting center will measure 38" x 38".






38" x 38" Complete Quilt top center

In following steps refer to Quilt Assembly Diagram.

- 2. Sew [3] of the quilt blocks made previously together and press seams open.
 - These should measure 13" wide x 38" long. Make 2.
- 3. Sew to the left and right side of the quilt center and press toward the center.
- 4. Sew [5] of the quilt blocks made previously together and press seams open. These should measure 13" wide x 63" long. Make 2.
- 5. Sew to the top and bottom of the quilt top and press toward the quilt center.



Quilt Assembly Diagram

Quilt Finishing:

- 1. Layer quilt top, batting and backing.
- 2. Quilt as desired.
- 3. Bind using the [7] 2 1/2" x WOF Jet Black 35370S-2 binding strips using your favorite binding method.
- 4. Label and ENJOY!!!