

MATERIALS:

2-1/2 yard of AISH Swirl Fabric, Grey
1 yard of AISH Swirl Fabric, Red
1/2 yard of AISH Swirl Fabric, Black
1/2 yard of AISH Swirl Fabric, Blue
1-1/2 yards AISH Buildings Panel
1/2 yard of Snow Hill/Star Fabric
1-7/8 yards House/Car Border Fabric
24 AISH Collectible Store Quilt Blocks
1 AISH Regional Quilt Block

HEARTH ANV HOME QUILT



Kathy Wunder works at the Iowa Quilt Block in West Des Moines. She enjoys designing with the All Iowa Shop Hop fabric every year for the shop. She has been quilting for several years.



READ THROUGH ALL INSTRUCTIONS
BEFORE BEGINNING. SEW PIECES RIGHT SIDES
TOGETHER AND USE A 1/4" SEAM ALLOWANCE
THROUGHOUT UNLESS OTHERWISE STATED.
ALL MEASUREMENTS BASED ON 42" WOF.

CUTTING:

From Building Panel

Center and trim each building to 6-1/2" \times 6-1/2". Make 24.

From AISH Collectible Quilt Blocks

Center and trim 24 store blocks to $4-1/2" \times 4-1/2"$. If you don't have 24 patches, substitute with $4-1/2" \times 4-1/2"$ squares of color fabrics. I used the border of the building panel.

From AISH Swirl, Grey

Cut [8] $4-1/2" \times WOF$ strips.

Subcut [48] $4-1/2'' \times 6-1/2''$ rectangles for center section **(A)**

Cut [3] $3'' \times WOF$ strips.

Subcut [40] 3" squares for house roof (B)

Cut [4] 1-1/2" \times WOF strips.

Subcut [80] 1-1/2" squares for heart (C)

Cut [2] $3'' \times WOF$ strips.

Subcut to [40] 3" squares for heart (D)

Cut [8] 2-1/2" WOF strips for outer border

Cut [1] 2-3/8" WOF strip

Subcut [2] $2-3/8" \times 7-1/2"$ rectangles

Subcut [2] $2-3/8" \times 10-1/2"$ rectangles

From AISH Swirl, Red

Cut [1] $3'' \times WOF$ strip

Subcut to $3'' \times 5-1/2''$ for roof **(E)**

(Note: 20 total of assorted colors)

Cut [1] $2'' \times WOF$ strip.

Subcut $2'' \times 3''$ for door **(F)**

(Note: 20 total of assorted colors)

Cut [7] 3" strip.

Subcut [40] $3'' \times 6-1/2''$ rectangles for heart **(G)**

From AISH Swirl, Black

Cut [1] $3'' \times WOF$.

Subcut $3'' \times 5-1/2''$ for house roof. **(H)**

(See note above)

Cut [1] $2'' \times WOF$

Subcut $2'' \times 3''$ for door. (I) (See note above).

Cut [2] $2-1/4" \times WOF$.

Subcut [20] 2-1/4" \times 4" for house. (J)

(Houses are divided between blue and black)

Cut [1] $2'' \times WOF$.

Subcut 1-1/2" \times 2" for space over the door.

These should match the house color. (K)

From AISH Swirl, Blue

Cut [1] $3'' \times WOF$

Subcut $3'' \times 5-1/2''$ for roof. (See note above) **(L)**

Cut [1] $2'' \times WOF$.

Subcut $2'' \times 3''$ for door. (See note above) (M)

Cut $\lceil 2 \rceil 2 - 1/4" \times WOF$.

Subcut [20] $2-1/4" \times 4"$ for house. Houses are divided between blue and black. **(N)**

Cut [1] 2" × WOF

Subcut 1-1/2" \times 2" for space over the door.

These should match the house color. (O)

From House/Car Stripe Fabric

Fussy cut a strip using the house stripe and car stripe. Directions below in border section. 3-Four point star from the snow fabric

From Snow Hill/Star Fabric

Fussy cut [3] 10-1/2" squares

BLOCK ASSEMBLY:

Center Blocks

The center section is made of 4 blocks using the same pieces, the building, a AISH store quilt block and [2] $6-1/2" \times 4-1/2"$ background rectangles. (A) Sew all units so that the buildings and patches are right side up. (Diagram 1)

- Block 1: Sew a 4-1/2" × 6-1/2" background to the bottom of a building square. Sew a 4-1/2 x 6-1/2 grey piece to the top of a patch. (A) Sew the two units together with the building in the upper left corner.
- 2. **Block 2:** Sew a $4-1/2'' \times 6-1/2''$ background to the top of a building square. Sew a $4-1/2'' \times 6-1/2''$ to the bottom of a patch. **(A)** Sew the units together so that the building is in the lower left corner.
- 3. **Block 3:** Sew a 4-1/2" × 6-1/2" background to the bottom of a building. Sew a 4-1/2" × 6-1/2" background to the top of a patch. **(A)** Sew the units together so that the building is in the upper right corner.
- 4. **Block 4:** Sew a $4-1/2'' \times 6-1/2''$ background to the bottom of a patch. Sew a $4-1/2'' \times 6-1/2$ background to the top of a building. **(A)** Sew units together so that the building is in the lower right.




Diagram 1

5. **Center Section:** Sew center blocks together so that they alternate position of the buildings and patches. (Diagram 2) The center section should measure 40-1/2" × 60-1/2".




Diagram 2

Houses

- For the roof section: Draw a diagonal line on the back of [2] 3" grey background squares Align the 3" grey background square (B) on the right side of the 3" × 5-1/2" roof rectangles (E, H, L). (Diagram 3)
- 2. Sew on the marked line from the bottom right to the top left. Trim to 1/4" from the seam. Press the background triangle up. Repeat for the left side with the diagonal line in the opposite direction.









Diagram 3

- 3. For the house section: Sew a colored 1" × 1-1/2" rectangle (K, O) to the top of the door (F, I, M) (2" × 3" rectangle.) Sew a matching 2-1/4" × 4" rectangle (J, N) to each side of the door section. (Diagram 4)
- 4. Sew the roof section to the house section. Trim if necessary to $5-1/2" \times 6-1/2"$. Repeat to make [20] houses.



Diagram 4

Hearts

Mark a diagonal line on the back of [2] of the 3" background (D) squares. Place the squares on the bottom of [2] of the 3" × 6-1/2" red rectangles (G) with the lines going in opposite directions from the outside to the inside creating a mirror image (Diagram 5)




Diagram 5

- 2. Sew on the line. Trim to 1/4" from the seam and press the triangles open.
- 3. Mark a diagonal line on the back of [4] of the 1-1/2" background squares (C).
- 4. Place the squares on each side of the top of the $3'' \times 6$ -1/2" rectangles **(G)**. Sew on the line. (Diagram 6). Trim to 1/4" seam allowance and press open.




Diagram 6

5. Sew the two halves of the heart block together. Repeat to make 20 hearts.

INSIDE BORDER ASSEMBLY

1. Use the car stripe and the house stripe from the border fabric. Cut 1/4" from the thin white line above the green "IOWA" stripe. You will be cutting in the blue stripe. Cut on the line between the white strip that goes under the red circle stripe and blue stripe. This border should measure 4-1/2" wide.



2. Cut 4 strips. Cut 60-1/2" and sew to each side with the houses facing out.

3. Sew alternating house and heart blocks together [6 sets]. These should measure 60-1/2".



- 4. Sew to the sides with the bottom of the heart and house blocks in the seam.
- 5. Cut 40-1/2" of the car/house strip.
- 6. Sew alternate house and heart blocks together. [4 sets]
- 7. Sew these strips together. Make [2], one for the top and one for the bottom. Pay attention to the direction of the houses and cars.
- 8. For one corner, trim the Regional Block to 7-1/2" square. (Or you could use the star blocks from the snow hill fabric.)
- 9. Sew a 2-3/8" \times 7-1/2" background strip to the sides of the Patch. Sew a 2-3/8" \times 10-1/2" strip to the top and bottom. The block should measure 10-1/2" square.
- 10. For the other corners, fussy cut 10-1/2" squares of the snowball fabrics.
- 11. Sew a 10-1/2" square to each end of the 40-1/2" pieced strip units as shown in diagram above. Sew one strip/square unit to top and one to bottom of center & side strips, paying attention to orientation of heart & house units.

OUTER BORDER ASSEMBLY

- Measure the sides of your quilt top. Piece 2-1/2" background strips and make border strips to fit your measurements.
- 2. Sew strips to the sides of the quilt.
- 3. Measure the top and bottom of the quilt. Piece the 2-1/2" strips to fit your measurements. Sew strips to the top and bottom of the quilt.
- 4. Layer, quilt & bind as desired.

